



TAUBER-ARONS, INC.
Industrial Auctioneers & Liquidators since 1892



TIMED ONLINE AUCTION

Owner Retiring and All Equipment Must be Removed as Real Estate is Sold



MASSIVE SHEET METAL FABRICATOR / TOOL & DIE FACILITY

EVERYTHING MUST SELL!



1998 Clearing Niagara 400-T, Mod. SC2-400-120-60 S.S.D.C. Stamping Press

FEATURING

- **S.S.D.C. Stamping Presses**
- **OBI Punch Presses**
- **Coil Straighteners**
- **CNC Tool & Die Department**
- **Rolling Stock & More...**

Bidding Opens: Wednesday, February 4

Bidding Closes: Wednesday, February 11 at 9am PT

Punch Press Products, Inc. – 2035, 1919, 1911 E. 51st Street, Vernon, CA

INSPECTION: Monday & Tuesday, February 9 & 10, 9am to 4pm PT or By Appointment



For An Auction Calendar Visit Our Website:

www.tauberaronsinc.com

323.851.2008 | 888.648.2249

BID ONLINE AT:

BidSpotter

S.S.D.C. STAMPING PRESSES

1998 Clearing Niagara 400-T, Mod. SC2-400-120-60, A.C, 60" x 120" Bolster, 12" Stroke, 42" Max. x 21.25" Min. S.H, S/N P-54558

1990 Bliss 300-T, Mod. SC-2-300, A.C, 72" x 54" Bolster, 12" Stroke, 40" Max. x 23.25" Min. S.H, 10" Adj, 20-50 SPM, Smart Pac Controls, S/N H-71368

1984 Komatsu 300-T, Mod. E2-M-300, A.C, 73" x 43" Bolster, 7.87" Stroke, 21.75" Max. x 17.75" Min. S.H, 26" x 21" Side Window, Uncoiler, S/N 100188

1976 Minster Hevi Stamper 800-T, Mod. E2-800-60-108, A.C, 60"x108" Bolster, 12" Stroke, 36" Max. x 30" Min. S.H, 38" x 26" Side Windows, Nordia 20 KVA Digital Transfer System, S/N 22805

1982 Minster Hevi Stamper 600-T, Mod. E2-600-96-54, A.C, 96" x 54" Bolster, 48"W Side Windows, 16" Stroke, 32" Max. x 26" Min. S.H, S/N E2-800-26432

1979 Williams & White Moline 800-T, Mod. S2-800-120-60, A.C, 12" Stroke, 34.75" Max. – 24.25" Min. S.H, 32" x 39" Windows, S/N C-4304

1976 Danly 800-T Mod. S2-800-96-72, 16" Stroke, 37.5" Max. x 30" Min. S.H, Wintress Clutch Brake Controls, 25 H.P, S/N 77357501

1971 Bliss 300-T, Mod. HP2-300, A.C, 60" x 42" Bolster, 6" Stroke, 16" Max. x 10" Min. S.H, Dallas 18" Power Microfeed Roll Feeder, S/N H-62897

1980 Dries & Krump Chicago 500-T, Mod. 500-48-120, 120" x 48" Bolster, 5" Stroke, 225" Max. x 17" Min. S.H, Twin Geared, A.C, S/N P-9880

1971 Minster Piece Maker 200-T, Mod. P2-200-48, A.C, 48" x 44" Bolster, 7" Stroke, 17.5" Max. x 11.5" Min. S.H, S/N P20052

Minster 500-T, Mod. 40-11, A.C, 48" x 67" Bolster, 12.625" Stroke, 21.2" Max. x 13.2" Min. S.H, 24" x 30" Side Windows, S/N 3479

Verson 500-T, Mod. 500-52-132T, A.C, 131" x 66" Bolster, 18.75" Stroke, 32" Max x 24.5" Min. S.H, S/N 1321

Clearing 400-T Mod. F-240-60, Crankless Press, A.C, 60" x 48" Bolster, 12" Stroke, 22.25" Max. x 8.25" Min. S.H, Smart Pac, S/N 40-4309

Clearing 200-T, Mod. S2-200-60-42, 60" x 42" Bolster, 10" Stroke, 19.75" Max. x 17.75" Min. S.H, Dallas D400 Straightner, Air Clutch, S/N 56-18720P

(2) British Clearing 250-T, 54-BR2385, A.C, 48" x 36" Bolsters, 12" Stroke, 23.37" Max. x 11.37" Min. S.H.s, 28" x 16" Side Windows, S/Ns PC2445 & 2444

Clearing 150-T, Mod. 52-150-36, A.C, 52" x 36" Bolster, 7.75" Stroke, 41.5" Max. x 31.25" Min. S.H, Wintress Clutch Brake Controls, S/N 56-600029P

Minster Mod. 50-5 1/2-48, A.C, 35" x 48" Bolster, 7.75" Stroke, 12.25" Max. x 7.375" Min. S.H, 12" x 12" Side Window, S/N 505Y2-3744

Minster Mod. 50-4, 50-Ton, 48" x 26" Bolster, 6" Stroke, 17.5" x 14" S.H, 12" x 12" Side Window

Minster Mod. 50-5-38, 50-Ton, Air Clutch, 36" x 36" Bolster, 8" Stroke, 11.5" x 6" S.H, 12" x 12" Side Window, S/N 50-5-3697

Toledo Mod. 92 1/2-48, 100-Ton, S/N 2970



1998 Clearing Niagara 400-T, Mod. SC2-400-120-60 S.S.D.C. Stamping Press

MASSIVE SHEET METAL FABRICATOR / TOOL & DIE FACILITY

S.S.D.C. STAMPING PRESSES (Continued)



1984 Komatsu 300-T, Mod. E2-M-300



1990 Bliss 300-T, Mod. SC-2-300



1976 Minster Hevi Stamper 800-T, Mod. E2-800-60-108 S.S.D.C. Stamping Press



1982 Minster Hevi Stamper 600-T, Mod. E2-600-96-54 S.S.D.C. Stamping Press



1979 Williams & White Moline 800-T, Mod. S2-800-120-60 S.S.D.C. Stamping Press



1971 Bliss 300-T, Mod. HP2-300 S.S.D.C. Stamping Press

OBI PUNCH PRESSES

1980 Bliss Mod. C-110, 110-Ton, 27" x 42" Bolster, 8" Stroke, 19" x 15" S.H, A.C, w/Rapid Air Feeder and Uncoiler, S/N H-69112

1967 Bliss Mod. C110, 110-Ton, 42" x 27" Bolster, 6" Stroke, 21" S.H, Air Clutch & Brake, S/N H57716

1981 Komatsu 165-Ton, A.C, 7.87" Stroke, 17" SH, 49"x35" Bolster, w/Straightner #F7, S/N 10003

(2) Bliss Mod. C-60, 60-Ton, Air Clutch, 32" x 21" Bolsters, 5" Stroke, 14.75" x 8.75" S.H, 12" Dbl. Roll Feed, S/Ns H-60074 & H-57636

Bliss C35-Ton, 3" Stroke, A.C, S/N HP45489

Extremely Large Quantity Stamping and Punch Presses Dies
Size Information Provided by Seller



1980 Bliss Mod. C-110, 110-Ton OBI Punch Press



1981 Komatsu 165-Ton OBI Punch Press

COIL FEEDERS, REELS & CRADLES

ROWE Mod. CSF-8-20-12J, 20"x60"x12000lb. St/Feeder, S/N 24.973

ROWE 1260/20, 30" Feeder

Herr Voss Keystone 66" Leveler, S/N 19340

1993 Rowe PMDC053-240, Straightener, .020" To .040" x 30"W, S/N 28212

1993 Rowe UB16, Coil Loader, Upender Buggy, Auto. Load/Unload, S/N 28773

COE Mod. CPR-PO-20054 Uncoiler, S/N 20804-3

COE Mod. CPP-300-54, 54" Straightener, S/N 20804-2

COE Mod. CPRF-454, Feeder, S/N 20804-1

COE Mod. CPPS-PO-225-30" Straightner, S/N 17315-2

1993 Rowe Mod. 25213 PMDC-053-240, Feeder, .020" x .040", S/N 28213

Rowe Mod. 16040, 40"W x 60" Uncoiler, 16,000Lb., 15 H.P.

Feed Lease Mod. PR-20M-36, 20,000Lb. Uncoiler, S/N 466

Littell Mod. 43450 Uncoiler, S/N S-100-36 • **Regal Mod. 3277-CC/C-SF-24**

Cradled Feeder, S/N 3761857 • **Perfecto Mod. 28-107** Dbl. Roll Feed,

.025"-156" x 10"W, S/N SS-3919 • **American Steel Mod. 70** Feeder,

10"W, S/N 3604-5/72 • **Littell Mod. 438-5PD** Feeder/Straightener 36"W,

(4) Sets Rollers, S/N 43845-50 • **Littell Mod. 418-5PD**, 4,000Lb. Cradle,

46" OD x 19"W x .125", S/N 60666-58 • **Rowe Mod. S15-TC** Straightener,

.030"/.125", S/N 20843 • **American Steel Co. Mod. 1000** Reel, S/N 4172 •

COE Mod. CP400 Feeder, S/N 4025-1 • **Justin Machinery 24"W** Dual

Cradle, S/N 410210 • **U.S. Tool Co. 10"W** Feeder, S/N 5590 • **COE Mod.**

CRR6024, 6,000Lb. Reel, 30"W x 80" OD, S/N 38836 • **Littell Mod. 340-18**,

4,000Lb. Auto Centering Coil Reel, 15" To 20" I.D., 60" OD, 18"W,

S/N 1424-77 • **Egan Press Partner Mod. M1001-36**, 24"W x 48" OD

Uncoiler, S/N 2496 • **Dallas Mod. D250-30X24R8** Air Feeder, S/N 19114



COE Straightener & Uncoiler



Feed Lease Mod. PR-20M-36, 20,000Lb. Uncoiler

MASSIVE SHEET METAL FABRICATOR / TOOL & DIE FACILITY

TOOL & DIE DEPARTMENT

2016 Haas Mod. VM6 Vertical Machine Center, S/N 1129047
HES 500 CNC Lathe w/GN6 Controls
Chevalier Mod. FSG-1640AD, Hyd. Surface Grinder, 16" x 40", S/N G4876004
Chevalier Mod. FSG-3A818, Hyd Surface Grinder
Blanchard #18, 36" Vertical Rotary Surface Grinder, S/N 6125
Mori Seiki Mod. MR-1500G, 20"-29" x 60" Gap Bed Lathe, 10 H.P, S/N 3707
Bridgeport 1½ H.P., V.S. Vertical Mill, 9" x 42" Table, w/Servo Power Feed, Acu Rite, D.R.O
Ridgid 1822 Pipe Threader
Mitutoyo C.M.M.
 14" Optical Comparator
K&T #4CK, Vertical Mill, S/N 18-7119
1976 Ooya Mod. RE-1225H, 4' x 12" Col. Radial Drill, S/N OA6-6633
Cincinnati Bickford 3' x 9" Col. Radial Drill, S/N 1R371

Cincinnati Gilbert 4' x 13" Col. Radial Drill, Coolant, S/N 5687
Leland Gifford 24" Drill, Sliding Head, S/N 10383
Fosdick 24" Drill
Monarch 18"/20.5" x 48" cc Engine Lathe, Taper, S/N 7063
Hendy 20" x 60" cc. Engine Lathe, Taper Attachment, S/N 37886H951
LeBlond 16" x 30" Lathe, Taper Attachment, 3-Jaw Chuck, Q.C. Tool Post, S/N 6HC417
1984 W.F. Wells Mod. 29, Horizontal Band Saw, S/N 844009
DoAll Vertical Mill, 2 H.P., Var. Spd. Drive, Mitutoyo 2-Axis DRO, S/N 810078
DoAll Mod. DH-612, 6" x 12" Surface Grinder, S/N 138-682808
(3) Boyar Shultz H612, Surface Grinders
DoAll Mod. 3612-H, Vertical Band Saw, S/N 272-69132
Supermax Mod. YCM, 1½, V.S. Vertical Mill, 9" x 49" Table, w/Servo Power Feed, Acu Rite, S/N 0315641
Eisen Vertical Mill



2016 Haas Mod. VM6 Vertical Machine Center



Chevalier Mod. FSG-1640AD, Hyd. Surface Grinder



Blanchard #18, 36" Vertical Rotary Surface Grinder

MISCELLANEOUS SHOP EQUIPMENT & ROLLING STOCK

(2) Atlas Copco Mod. GA-75, 75 H.P. Rotary Screw Air Compressors
(3) Ingersoll Rand Mod. SSREP60, 60 H.P. Rotary Screw Air Compressors
Sullair 16B-75H, Rotary Screw Air Compressor
(2) Zeks Mod. 1600HSDA + 1500 HDT Air Dryers
Hyster Mod. 9150A, 15,000Lb. LPG Forklift, 159" Lift, S/N AO24E02537G
Allis Chalmers Mod. ACP200D, 20,000Lb. Diesel Forklift, 144" Lift, S/N BHC01674
(2) Nissan Mod. CPH02A25V, 5,000Lb. LPG Forklifts, 130 Lift, S/Ns 920411 & 92043
Datsun 6,000Lb. LPG Forklift

Clark 12,000Lb. LPG Forklift
TCM Mod. FCG35N, 7,000Lb. LPF Forklift, 236" Lift, S/N 3940002
Datsun 5,000Lb. LPG Forklift, 130" Lift
International S1700, 18' Stake Bed Pick-Up Truck
Advance 2052 Floor Scrubber
(163) Sections of Pallet Shelving
(41) Sections of Die Racks
(7) 1-10 Ton Bridge Cranes, w/Rails and Supports
 Miscellaneous Office Equipment

DIRECTIONS

From Downtown Los Angeles, take the 10 Fwy to Santa Fe Avenue Offramp South to 51st Street, Right on 51st to Sale Site!

TERMS OF SALE

20% Buyer's Premium for Online Bidding. A deposit of 25% in cash, cashier's check, or company check is required of each bidder for deposit only. Total to be paid within time specified by auctioneer in cash, cashier's check, or wired funds before removal of purchase. All purchases must be removed within period announced by auctioneer. All descriptions are believed to be correct, but no guarantees or warranties are made by auctioneer as to nomenclature or age. Everything sold on an "as is" basis. ALL SALES WILL BE SUBJECT TO LOCAL & STATE SALES TAX. A BUYERS' PREMIUM WILL BE COLLECTED ON ALL PURCHASES. Any and all items left on the premises after the last day of the published check out period, will be deemed abandoned and will revert back to the seller with no recourse for the buyer.

ONLINE BIDDING ONLY AT: **BidSpotter**

CHECKOUT

Thursday, February 12th thru Thursday, February 26th, 8am to 4pm PT Weekdays Only.

BID ONLINE

With BidSpotter.com, you can bid on items in auctions from anywhere in the world! Bid from the convenience of your home or office! Real time internet bidding & audio-No special software needed, use your browser! To register to bid in the Tauber Arons, Inc. auction, please visit us at BidSpotter.com or call (888) 648-2249. An 20% Buyer's premium for on-line sales.

All internet bidders must register for this auction at BidSpotter.com at least 48 hours prior to the sale date. If you do not, you may not be approved. Last minute registrations may or may not be accepted. Make sure to register no later than 48 hours prior to the start of the auction.

PAYMENTS

Invoices will be sent to successful bidders immediately after the sale closes. All bills to be paid in full the next day, Wednesday, February 12th.

www.tauberaronsinc.com | 323.851.2008 | 888.648.2249